2025年度滋賀国スポ(ボウリング競技)



大分県選考会



Oil Pattern Distance	45	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	21.15 mL	Reverse Oil Total	14.25 mL	Volume Oil Total	35.4 mL
Tank Configuration	A Only	Tank A Conditioner	KEGEL	Tank B Conditioner	KEGEL

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	14	148	0.0	5.9	5.9	7400
2	5L	6R	2	14	60	5.9	9.8	3.9	3000
3	6L	7R	2	14	56	9.8	13.7	3.9	2800
4	8L	8R	2	18	50	13.7	18.8	5.1	2500
5	9L	9R	3	18	69	18.8	26.4	7.6	3450
6	10L	10R	1	18	21	26.4	28.9	2.5	1050
7	11L	11R	1	18	19	28.9	31.4	2.5	950
8	2L	2R	0	22	0	31.4	45.0	13.6	0

	START	STOP	LOAD5	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	45.0	38.0	-7.0	0
2	14L	12R	1	22	15	38.0	34.9	-3.1	750
3	13L	11R	2	18	34	34.9	29.8	-5.1	1700
4	12L	10R	2	18	38	29.8	24.7	-5.1	1900
5	11L	9R	2	14	42	24.7	20.8	-3.9	2100
6	10L	8R	3	14	69	20.8	14.9	-5.9	3450
7	9L	7R	2	14	50	14.9	11.0	-3.9	2500
8	2L	2R	1	10	37	11.0	9.6	-1.4	1850
9	2L	2R	0	10	0	9.6	0.0	-9.6	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA **Forward** Reverse Combined



	1,47	1.01		1,21	4.24
rtside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R



